MAXIMIZE PROFITABILITY

WITH INDUSTRY STANDARD HERD HEALTH PROTOCOLS

VAC 24

Calves vaccinated on cows at 2-4 months of age

- 1 dose 7-way, 8-way or 9-way Clostridial
- 1 dose viral 5-way
- 1 dose Mannheimia Haemolytica and/or Pasteurella Multocida
- Parasite control (recommended)

VAC 34

Calves vaccinated on cows 2-4 weeks prior to shipping

- 1 dose 7-way, 8-way or 9-way Clostridial: at branding or 2-4 weeks prior to shipping
- 1 dose viral 5-way
- 1 dose Mannheimia Haemolytica and/or Pasteurella Multocida
- Parasite control (recommended)

VAC 45

Calves vaccinated twice: 2-4 weeks prior to weaning and booster at weaning or at weaning and booster to label instructions, homeraised and weaned minimum 45 days prior to delivery

- 2 doses 7-way, 8-way or 9-way Clostridial
- 2 doses viral 5-way
- 1 dose Mannheimia Haemolytica and/or Pasteurella Multocida
- Parasite control (recommended)

OTHER OPPORTUNITIES TO ADD VALUE

Non-implanted/hormone-free • Hotwire broke • Bunk broke • Knife cut (steers) • Bangs vaccination (heifers)

